



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Diseases of—Continued.

Cancer	1
Anæmia	8
Enteric fever	3
Diphtheria	1
Measles	5
Malarial fever	4
Puerperal fever	3
Uncinariasis	7
Tuberculosis	25
Old age	3
Accidents	3
Tetanus	7
Congenital malformation	3
Metritis	1
Nephritis	9
Grippe	3
Without official data	10
Total	147

Deaths in October, 1905..... 128

Month of November, 1906.

Diseases of—

Digestive system	46
Nervous system	6
Circulatory system	8
Respiratory system	17
Grippe	7
Malarial fever	9
Anæmia	5
Nephritis	2
Congenital malformation	7
Cancer	1
Accidents	3
Tetanus	9
Puerperal fever	2
Measles	1
Syphilis	2
Old age	4
Tuberculosis	18
Rheumatic fever	2
Enteric fever	4
Dysentery	2
Total	155

Deaths in November, 1905..... 114

SALVADOR.

Yellow fever epidemic in the Republic.

The following is received from the Department of State, under date of January 14:

SAN SALVADOR, January 12, 1907.

Yellow fever epidemic in Republic.

CONSUL.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

BAHAMAS—*Dunmore Town*.—Two weeks ended December 28, 1906. Estimated population, 1,232. One death. No contagious diseases.

Governors Harbor.—Week ended December 29, 1906. Estimated population, 1,500. No deaths and no contagious diseases reported.

Nassau.—Week ended December 29, 1906. Estimated population, 12,656. No deaths and no contagious diseases reported.

BRAZIL—*Para*.—Month of September, 1906. Estimated population, 177,000. Total number of deaths, 233, including malarial fever 32, whooping cough 3, and 26 from tuberculosis. Six deaths from yellow fever were reported during the month, having their origin in the capital.

Pernambuco.—Two weeks ended November 30, 1906. Estimated population, 210,000. Total number of deaths, 252, including enteric fever 1, whooping cough 1, leprosy 3, smallpox 26, and 55 from tuberculosis.

San Salvador.—Month of July, 1906. Estimated population, 265,000. Total number of deaths, 406, including enteric fever 1, plague 3, smallpox 1, leprosy 2, whooping cough 2, and 48 from tuberculosis. Month of August, 1906. Total number of deaths, 399, including enteric fever 2, beriberi 13, plague 3, smallpox 3, whooping cough 3, and 80 from tuberculosis.

BRITISH GUIANA—*Demerara, Georgetown*.—Four weeks ended November 24, 1906. Estimated population, 36,567. Total number of deaths 224, including diphtheria 1, and 17 from tuberculosis.

CANADA—*Ontario—Hamilton*.—Month of December, 1906. Estimated population, 62,500. Total number of deaths 76, including diphtheria 2, and 8 from tuberculosis.

CUBA.—Month of November, 1906. Reports from the 6 provinces, having an aggregate population of 1,572,797, show as follows: Deaths from contagious diseases: Diphtheria 13, enteric fever 11, malarial fever 19, measles 1, leprosy 3, yellow fever 2, whooping cough 1, and 114 from tuberculosis.

GERMANY—*Weimar*.—Month of November, 1906. Estimated population, 31,127. Total number of deaths 37, including diphtheria 3, and 2 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended December 22, 1906, correspond to an annual rate of 19.1 per 1,000 of population, which is estimated at 15,818,360.

London.—One thousand eight hundred and eighty-six deaths were registered during the week, including measles 24, scarlet fever 9, diphtheria 14, enteric fever 6, whooping cough 32, and 16 from diarrhea. The deaths from all causes correspond to an annual rate of 20.8 per 1,000. In Greater London 2,571 deaths were registered. In the "outer ring" the deaths included 4 from diphtheria, 3 from scarlet fever, 1 from measles, and 5 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended December 22, 1906, in the 21 principal town districts of Ireland was 22.8 per 1,000 of the population,

which is estimated at 1,101,499. The lowest rate was recorded in Sligo, viz, 9.6, and the highest in Ballymena, viz, 33.5 per 1,000. In Dublin and suburbs 217 deaths were registered, including diphtheria 2, measles 2, enteric fever 2, whooping cough 2, and 36 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended December 22, 1906, correspond to an annual rate of 19.9 per 1,000 of the population, which is estimated at 1,787,788. The lowest rate of mortality was recorded in Lieth, viz, 12.0, and the highest in Dundee, viz, 25.3 per 1,000. The aggregate number of deaths registered from all causes was 681, including diphtheria 11, enteric fever 2, measles 5, scarlet fever 6, and 19 from whooping cough.

JAMAICA—Port Antonio.—Three weeks ended December 29, 1906. No deaths reported. The health of the port is good.

JAPAN—Nagasaki.—Ten days ended December 10, 1906. Estimated population, 163,324. Total number of deaths not reported. One death from diphtheria reported.

JAVA—Batavia.—Two weeks ended December 1, 1906. Estimated population, 160,000. Total number of deaths not reported. No contagious diseases reported.

MALTA.—Two weeks ended December 15, 1906. Estimated population, 205,059. Total number of deaths, 239, including diphtheria 6.

SPAIN—Barcelona.—Ten days ended December 20, 1906. Estimated population, 600,000. Total number of deaths, 382, including diphtheria 10, enteric fever 12, measles 1, scarlet fever 1, smallpox 5, whooping cough 2, and 30 from tuberculosis.

Cholera, yellow fever, plague, and smallpox from December 28, 1906, to January 18, 1907.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls through the Department of State, and from other sources.]

[For reports received from June 29, 1906, to December 28, 1906, see PUBLIC HEALTH REPORTS for December 28, 1906.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Bombay	Nov. 28-Dec. 18		21	
Cochin	Oct. 26-Nov. 23		16	
Calcutta	Nov. 11-Dec. 8		338	
Karachi	Nov. 2-Dec. 7	11	13	
Madras	Nov. 17-30		4	
Negapatam	Oct. 27-Nov. 23		11	
Rangoon	Nov. 25-Dec. 8		31	
Philippine Islands:				
Manila	Nov. 18-24	2	1	
Provinces—				
Iloilo	Nov. 18-24	40	31	
Moro, Camp Vicars	Nov. 18-24	5	3	
Negros Occidental	Nov. 18-24	9	7	
Pampanga	Nov. 18-24	2	1	
Rizal	Nov. 18-24	1	1	
Tarlac	Nov. 18-24	2	2	